

Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600518
- · Trade name: Multi-cleaner 500ml E-COLL
- · Article number: 4317784638333
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Eye Irrit. 2H319Causes serious eye irritation.STOT SE 3H336May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alcanes, isoalcanes, aromatics (<2%)



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 1)

Reaction mass of ethylbenzene and xylene propan-2-ol

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

· Precautionary statements

 Precautionary sta 	itements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection / face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking. Buildup of explosive mixtures possible without sufficient ventilation.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

(Contd. of page 2)

Trade name: Multi-cleaner 500ml E-COLL

	N N	10
 Dangerous components: 		
EC number: 919-857-5 Index number: 649-327-00-6 Reg.nr.: 01-2119463258-33-xxxx	Hydrocarbons, C9-C11, n-alcanes, isoalcanes, aromatics (<2%) Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 EUH066	50-100%
EC number: 905-588-0 Reg.nr.: 02-2119752448216-32	Reaction mass of ethylbenzene and xylene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304	2.5-10%

2.5-10%
2.5-10%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

30 % and more aliphatic hydrocarbons 5 % or over but less than 15 % aromatic hydrocarbons

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Personal protection for the First Aider.
- · After inhalation:

Supply fresh air.

Seek medical treatment in case of complaints.

· After skin contact: If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

EU -



Printing date 05.08.2022

Version number 301 (replaces version 1)

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 3)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture Can form explosive gas-air mixtures.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

\cdot 7.1 Precautions for safe handling

· Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

(Contd. on page 5)



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 4)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurised containers. Store in a cool and dry place.

- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Ingredients with limit values that require monitoring at the workplace: 					
CAS: 124-	CAS: 124-38-9 carbon dioxide				
IOELV Lo	IOELV Long-term value: 9000 mg/m ³ , 5000 ppm				
· DNELs	·DNELs				
CAS: 67-6	CAS: 67-63-0 propan-2-ol				
Inhalative	DNEL (worker)	500 mg/m ³ (Workers)			
	DNEL (population)	89 mg/m³ (cus)			

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

- **Respiratory protection:** Short term filter device: Filter A/P2
- · Hand protection



Protective gloves

(Contd. on page 6)



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 5)

· Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Recommendation: safety glasses with side protection shield
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties General Information 				
· Physical state	Aerosol			
· Colour:	Product specific			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· Melting point/freezing point:	Undetermined.			
· Boiling point or initial boiling point and boiling	Shaeterminea.			
range	Not applicable, as aerosol.			
· Flammability	Extremely flammable aerosol.			
· Lower and upper explosion limit				
· Lower:	0.6 Vol %			
· Upper:	12 Vol %			
· Flash point:	Not applicable, as aerosol.			
· Decomposition temperature:	Not determined.			
· pH	Mixture is a gas.			
· Viscosity:				
· Kinematic viscosity	Not determined.			
· Kinematic: 23 °C - 4 mm (ISO 2431)				
· Dynamic:	Not determined.			
· Solubility				
· water:	Fully miscible.			
· Partition coefficient n-octanol/water (log value)	Not determined.			
· Vapour pressure at 20 °C:	1 hPa			
Density and/or relative density				
· Density at 20 °C:	0.0731 g/cm ³			
· Relative density	Not determined.			
· Vapour density	Not determined.			
 9.2 Other information 				
· Appearance:				
· Form:	Aerosol			
 Important information on protection of health 				
and environment, and on safety.				
 Auto-ignition temperature: 	Product is not selfigniting.			
 Explosive properties: 	Not determined.			
 Solvent separation test: 				
· Organic solvents:	97.5 %			



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

	(Contd. of page 6)
Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
 Oxidising gases 	Void
 Gases under pressure 	Void
 Flammable liquids 	Void
 Flammable solids 	Void
 Self-reactive substances and mixtures 	Void
 Pyrophoric liquids 	Void
· Pyrophoric solids	Void
 Self-heating substances and mixtures 	Void
 Substances and mixtures, which emit flammat 	ble
gases in contact with water	Void
· Oxidising liquids	Void
 Oxidising solids 	Void
 Organic peroxides 	Void
 Corrosive to metals 	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/L	C50 val	ues relevant	for cla	assificatior):

Hydrocarbons, C9-C11, n-alcanes, isoalcanes, aromatics (<2%)					
Oral	LD50	>15,000 mg/kg (rat) (OECD 401)			
Dermal	LD50	3,400 mg/kg (rat) (OECD 402)			



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

			(Contd. of page 7)	
I	Inhalative	LC50/4h	13,100 ppm (rat) (OECD 403)	
I	Reaction	mass of e	ethylbenzene and xylene	
(Oral	LD50	4,300 mg/kg (rat)	
1	Dermal	LD50	2,000 mg/kg (rabbit)	
(CAS: 67-63-0 propan-2-ol			
(Oral	LD50	5,045 mg/kg (rat)	
[Dermal	LD50	12,800 mg/kg (rabbit)	
	Inhalative	LC50/4h	30 ppm (rat)	

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- \cdot 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C9-C11, n-alcanes, isoalcanes, aromatics (<2%)

NOEC 24.3 mg/l (rat)

CAS: 67-63-0 propan-2-ol

EC50/24h >10,000 mg/l (daphnia)

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 8)

• **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

- · Remark: Toxic for fish
- · Additional ecological information:

· General notes:

Toxic for aquatic organisms Not hazardous for water. Also poisonous for fish and plankton in water bodies.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue

HP3 Flammable

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

 · 14.1 UN number or ID number · ADR, IMDG, IATA 	UN1950
 14.2 UN proper shipping name ADR IMDG IATA 	UN1950 AEROSOLS AEROSOLS AEROSOLS, non-flammable
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	2 5A Gases. 2.1
	2.1
· Class	2.1 Gases. (Contd. on page 10)



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

· Label	(Contd. of page 9) 2.1
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code Segregation Code 	 Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code 	1L Code: E0 Not permitted as Excepted Quantity 3 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) UN "Model Regulation": 	1L Code: E0 Not permitted as Excepted Quantity UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 11)

— EU —



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 10)





· Signal word Danger

 Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alcanes, isoalcanes, aromatics (<2%) 	
Reaction mass of ethylbenzene and xylene	
propan-2-ol	
· Hazard statements	
H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.	
H319 Causes serious eye irritation.	
H336 May cause drowsiness or dizziness.	
· Precautionary statements	
P101 If medical advice is needed, have product container or label at hand.	
P102 Keep out of reach of children.	
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P211 Do not spray on an open flame or other ignition source.	
P251 Do not pierce or burn, even after use.	
P261 Avoid breathing spray.	
P271 Use only outdoors or in a well-ventilated area.	
P280 Wear eye protection / face protection.	
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P312 Call a POISON CENTER/doctor if you feel unwell.	
P337+P313 If eye irritation persists: Get medical advice/attention.	
P403+P233 Store in a well-ventilated place. Keep container tightly closed.	
P405 Store locked up.	
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Directive 2012/18/EU	
Named dangerous substances - ANNEY Methanol	

· Named dangerous substances - ANNEX I Methanol

Seveso category P3b FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements $50.000\ t$

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.



Printing date 05.08.2022

Version number 301 (replaces version 1)

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 11)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

· Exposure scenario(s)

Exposure scenario(s) of ingredients (if present) are available on request at: sdb@ede.de

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H281 Contains refrigerated gas; may cause cryogenic burns or injury.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- EUH066 Repeated exposure may cause skin dryness or cracking.
- · Contact: sdb@ede.de
- Date of previous version: 04.08.2022
- · Version number of previous version: 1
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (RÈACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Aerosol 1: Aerosols – Category 1 Press. Gas (Ref. Liq.): Gases under pressure - Refrigerated liquefied gas Flam. Liq. 2: Flammable liquids - Category 2



Printing date 05.08.2022

Version number 301 (replaces version 1)

Revision: 05.08.2022

Trade name: Multi-cleaner 500ml E-COLL

(Contd. of page 12)

EU —

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

 \cdot * Data compared to the previous version altered.